

RF CONNECTOR ADAPTER KITS



Universal Adapter Kits

A great time saver for those instances where you are required to make connections with multiple connector types. These adapters are made from high quality materials to ensure best performance and low insertion loss. The universal version comes with standard connector types such as UHF, Mini-UHF, N, BNC, TNC, and SMA, and is very useful for many different applications. Our wi-fi version comes with connectors more specifically targeted for all your wi-fi connection needs. Included in this version are N, TNC, SMA, BNC, MMCX, and Reverse Polarity connectors for easier wireless LAN interconnects. Both kits come packaged in a soft, compact zippered case which provides excellent protection, easy organization, and enhanced mobility.

25-AK-30-TGN

Universal Adapter Kit includes:

6 Universal Centers 2 UHF Males 2 UHF Females 2 Mini-UHF Males 2 Mini-UHF Females 2 N Males 2 N Females 2 BNC Males 2 BNC Females 2 TNC Males 2 TNC Females 2 SMA Males 2 SMA Females



25-AK-30--WIFI-TGN

Wi-Fi Adapter Kit Includes: 6 Universal Centers 2 N Males 2 N Females 2 N Females 2 TNC Males 2 TNC Females 2 SMA Males 2 SMA Females 1 BNC Male 1 BNC Female 1 MMCX Male 1 MMCX Female 2 Reverse Polarity SMA Males 2 Reverse Polarity SMA Females 2 Reverse Polarity TNC Males 2 Reverse Polarity TNC Females

25-AK-40-TGN

We listened to your request for a more flexible adapter kit, so we brought you this 40 piece version. These adapters are made from same high quality materials to ensure **best performance** and low insertion loss. Combine with our universal Quick Connector and you have a fast and convenient system for hooking your connectors up to a wattmeter.

The 40 piece version comes with standard connector types such as UHF, Mini-UHF, N, BNC, TNC, and SMA, we added 2 more Universal Centers, RCA and F connectors.

Includes:

- 8 Universal Centers 2 UHF Males 2 UHF Females 2 Mini-UHF Males 2 Mini-UHF Females 2 RCA Males 2 N Males 2 N Females 2 BNC Males 2 BNC Females
 - 2 TNC Males 2 TNC Females 2 SMA Males **2 SMA Females** 2 RCA Females 2 F Males 2 F Females

High Frequency Kits

1 Mini-UHF Female 1 SMC Female

1 SMP Female

1 N Female

These adapters are **made from high quality materials** to ensure best **performance and low insertion loss** same standards as applied to the Universal Adapter Kits, **but, designed to work at high frequency ranges.** Listed below the High Frequency Adapter Kits are connectors it comes with. Our **wi-fi** version comes with connectors more specifically targeted for all your wi-fi connection needs, such as reverse Polarity connectors for easier wireless LAN interconnects. The 25-HFAK-30-TGN and the 25-HFAK-30-WIFI-TGN comes packaged in a textured wooden case. The 25-HFAK-40-TGN comes packaged in a soft zippered leather case (textured wooden case optional). Both cases provides excellent protection, easy organization, and enhanced mobility.





1 SMP Male

1 Mini-UHF Male 1 SMC Male

1 N Male

25-HFAK-40-TGN

2

40 piece High Frequency Adapter Kit includes:

1 MCX Male

1 MMCX Male

o universar centers			
1 BNC Male	1 N Male	1 BNC Female	1 N Female
1 BNC-RP Male	1 SMA Male	1 BNC-RP Female	1 SMA Female
1 TNC Male	1 SMA-RP Male	1 TNC Female	1 SMA-RP Female
1 TNC-RP Male	1 SMB Male	1 TNC-RP Female	1 SMB Female
1 MCX Male	1 SSMB Male	1 MCX Female	1 SSMB Female
1 MMCX Male	1 SMC Male	1 MMCX Female	1 SMC Female
1 UHF Male	1 FME Male	1 UHF Female	1 FME Female
1 Mini-UHF Male	1 FAKRA Male	1 Mini-UHF Female	1 FAKRA Female

1 FME Male

1 UHF Male

1 MCX Female

1 MMCX Female

1 FME Female

1 UHF Female



LOW PIM Adapter Kits

4.1 / 9.5 ADAPTERS (Low PIM \leq - 160 dBc)

The 4.1/9.5 RF connectors is our new product, its small size and low weight just to meet the increasing performance needs of mobile radio communication applications. Features of the 4.1/9.5 connectors are compact design, easy installation, and guarantee excellent return loss and low PIM levels.

APPLICATIONS

- Telecommunications
- DAS Networks
- Small Cell Systems

Mobile Applications

PACKING: We supply two types of adapters with a black zippered leather case or a textured wooden case for your choosing.

25-AK4195-11-TGA

7 piece kit contains one each:

- 4.1/9.5 Male to N Female Right Angle
- 4.1/9.5 Male to N Female
- 4.1/9.5 Male to 4.1/9.5 Female
- 4.1/9.5 Male to 4.1/9.5 Male
- 4.1/9.5 Female to 4.1/9.5 Female
- 4.1/9.5 Female to N Female
- 4.1/9.5 Female to N Male

25-AK4195-716-TGA

7 piece kit contains one each:

- 4.1/9.5 Male to DIN Male
- 4.1/9.5 Male to DIN Female
- 4.1/9.5 Female to DIN Male
- 4.1/9.5 Female to DIN Female
- 4.1/9.5 Male to 4.1/9.5 Female Right Angle
- 4.1/9.5 Male to 4.1/9.5 Female
- 4.1/9.5 Female to 4.1/9.5 Female

LOW PIM Adapter Kits

4.3 / 10 ADAPTERS (Low PIM \leq - 160 dBc)

The 4.3/10 RF connectors is our new product, this is a different size standard as compared to the 4.1/9.5 shown on the previous page. Features of the 4.3/10 connectors are similar to the 4.1/9.5, also compact design, easy installation, and guarantee excellent return loss and low PIM levels.

APPLICATIONS

- Telecommunications
- DAS Networks
- Small Cell Systems

Mobile Applications

PACKING: We supply two types of adapters with a black zippered leather case or a textured wooden case for your choosing.

25-AK4310-716-TGA



6 piece kit contains one each:

- 4.3/10 Male to DIN Female
- 4.3/10 Male to DIN Male
- 4.3/10 Female to DIN Male
- 4.3/10 Female to DIN Female
- 4.3/10 Female to 4.3/10 Male
- 4.3/10 Female to 4.3/10 Female



25-AK4310-11-TGA

6 piece kit contains one each:

- 4.3/10 Male to N Female
- 4.3/10 Male to N Male
- 4.3/10 Female to N Male
- 4.3/10 Female to N Female
 4.3/10 Male to 4.3/10 Male
- 4.3/10 Female to 4.3/10 Female

4

LOW PIM Adapter Kits

The 7/16 DIN connector interface offers technical advantages over the N or SMA connector interfaces for cellular communications. Capable of carrying high power at high frequencies, 7/16 DINs are larger and more precise, offering more stable electrical and mechanical connections with tighter tolerances and improved VSWR performance.

Tri-metal, is tarnish free with excellent electrical performance and low PIM. The hardness of Tri-Metal will stand up to multiple mating cycles. If your application requires frequent coupling and de-coupling and/or if tarnish resistance is an issue, white bronze would be the better plating choice.

All Tri-Metal 7/16 DIN adapters are machined to exacting specifications, made of brass and feature Teflon insulation and gold-plated contacts.

25-AK-716-TGA

6 piece kit contains one each:

- 7/16 DIN Female to N Male
- 7/16 DIN Male to N Female
- 7/16 DIN Male to N Male
- 7/16 DIN Female to N Female
- 7/16 DIN Female to 7/16 DIN

TCC INDUSTRIES, INC. 7050 VILLAGE DRIVE UNIT E BUENA PARK, CA 90621 714.523.8885 sales@tccinc.com www.tccinc.com

5